



3D TOWER WHEEL ALIGNERS

**ROT3DTower.4** 





**OPEN CABINET** equipped with the PC, printer and 22" LCD monitor.
















## **TECHNICAL DATA**

## **ROT3DTower.4**

	ROT.3DTOW.701985		
Individual toe front/rear axle	+/- 42"		
Total toe	+/- 42"		
Toe-out on turns	+/- 42"		
Camber front/rear axle	+/- 56"		
Caster	+/- 32"		
SAI	+/- 32"		
Set-back	+/- 36"		
Set-back front axle	+/- 36"		
Thrust angle	+/- 36"		
Min. tyre size	10"		
Max. tyre size	24"		
Max. wheel diameter	610 mm		
Max. wheel base	LCD		
Display	22"		
Display size	230 V  50-60 Hz		
Power supply	2950 mm		
Width	455 mm		
Depth	2600 mm		
Height	250 mm		
Weight	≤ 2650 mm		
Wheel Base	≤ 5450 mm		
Wheel Deviation	≤ 1800 mm		

CONFIGURATION		COLOUR	STANDARD EQUIPMENT
ROT3DTower.4	ROT.3DTOW.701985	RAL7040	clamps with target, \$110A7/P turnables, \$TDA161 steering wheel lock, 10479 brake pedal depressor.

